



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/082,112	02/26/2002	Seijun Tanikawa	826.1797	3525

21171 7590 02/21/2008
STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

TRAN, PHILIP B

ART UNIT	PAPER NUMBER
----------	--------------

2155

MAIL DATE	DELIVERY MODE
-----------	---------------

02/21/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/082,112	Applicant(s) TANIKAWA ET AL.	
	Examiner Philip B. Tran	Art Unit 2155	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 February 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This office action is in response to the RCE filed on 02/2/2008. Claims 11 and 13 have been amended. Claim 17 has been newly added. Therefore, claims 1-17 are pending and presented for further examination.

Claim Rejections - 35 U.S.C. § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 1-17 are rejected under 35 U.S.C. § 102(e) as being anticipated by Nobakht, U.S. Pat. No. 6,785,716.

Regarding claim 1, Nobakht teaches an Internet appliance user management system (= system server 110 is connected to the Internet) [see Fig. 1] which is connected to an IA terminal (= user terminal 130A-D) via a network, comprising:

an IA terminal user storing unit storing IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received, and user registration information including user information concerning the user who receives the service, said IA terminal information representing registration information required for an Internet connection (= storing user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc.) [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26];

a transmission and receiving unit on the side of the IA terminal user management system, transmitting and receiving the user registration information to and from the IA terminal, and requests the IA terminal to input the user registration information (= input devices such as remote control 202 and wireless keyboard 203) [see Figs. 1-2];

a user registration information collation unit collating the user registration information received by the transmission and receiving unit on the side of the IA terminal user management system with the user registration information stored in the IA terminal user storing unit and writing the user registration information in the IA terminal user storing unit if necessary (= set-top box 131 controls access to Internet sites/channels services by manually using input device (202, 203) via system controller 211 and writes user registration information in the user storage) [see Figs. 3-4 and Col. 6, Line 45 to Col. 7, Line 36 and Col. 8, Lines 1-41]; and

an automatic registration unit obtaining the user registration information which has not been collated by the user registration information collation unit from the IA

terminal by means of the transmission and receiving unit on the side of the IA terminal user management system and registering said information in the IA terminal user storing unit (= passing userID information directly from smart card to the set-top box 131) [see Fig. 4 and Col. 8, Lines 1-15].

Regarding claim 2, Nobakht further teaches the IA terminal user management system according to claim 1, wherein the transmission and receiving unit on the side of the IA terminal user management system receives user registration information including the IA terminal identifier from the IA terminal, the user registration information collation unit collates the received user registration information with the user registration information stored in the IA terminal user storing unit, the transmission and receiving unit on the side of the IA terminal user management system transmits the collated result to the IA terminal, the transmission and receiving unit on the side of the IA terminal user management system receives additional user registration information which is not included in the received user registration information from the IA terminal, and the automatic registration unit registers the received additional user registration information in the IA terminal user storing unit [see Figs. 3-4 and Abstract and Col. 6, Line 45 to Col. 7, Line 36 and Col. 8, Lines 1-41].

Regarding claims 3-4, Nobakht further teaches the IA terminal user management system, wherein the IA terminal user storing unit comprises a machine table which stores the IA terminal identifier in association with a user identifier for identifying the

user, a subscriber table which stores the user identifier in association with a service provider identifier for identifying the service provider who provides the service, and an affinity table which stores the service provider identifier in association with the registration procedure for registering the user determined by the service provider (= format of records that include userID, user PIN, password, customer No., box serial No., channel table, site address, site name, etc) [see Figs. 3-5].

Regarding claims 5-8, Nobakht further teaches the IA terminal user management system, wherein the automatic registration unit erases the user registration information stored in the IA terminal user storing unit [see Col. 6, Line 37 to Col. 7, Line 17 and Col. 16, Lines 40-49].

Regarding claim 9, Nobakht teaches the IA terminal which performs information communication via a network, comprising:

a transmission and receiving unit on the side of the IA terminal, transmitting and receiving IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received, and user registration information including user information concerning the user who receives the service to and from the IA terminal user management system which manages the IA terminal via the network, said IA terminal information representing registration information required for an Internet connection (= input devices such as remote control 202 and wireless keyboard 203 or

smart card 232 for entering and transmitting user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. ; and set-top box 131 for receiving user/terminal information and controlling access to Internet sites/channels services) [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26]; and

an input unit inputting insufficient user registration information based on the request of the IA terminal user management system and writing the user registration information in a user storing unit of the IA terminal whereas the transmission and receiving unit on the IA terminal transmits the user registration information inputted by the input unit to the IA terminal user management system (= controlling access to Internet sites/channels services by manually using input device (202, 203) via system controller 211 or passing userID information directly from smart card to the set-top box 131 and writing user registration information in the user storage) [see Figs. 3-4 and Col. 6, Line 45 to Col. 7, Line 36 and Col. 8, Lines 1-41].

Regarding claim 10, Nobakht further teaches the IA terminal according to claim 9, wherein the transmission and receiving unit on the side of the IA terminal transmits user registration information including the IA terminal identifier to the IA terminal user management system, the transmission and receiving unit on the side of the IA terminal receives the result of having collated the transmitted user registration information and the user registration information stored in the IA terminal user storing unit with which the IA terminal user management system is provided, the input unit inputs additional user

registration information which is not included in the received user registration information, and the transmission and receiving unit on the side of the IA terminal transmits the inputted additional user registration information to the IA terminal user management system [see Figs. 3-4 and Abstract and Col. 6, Line 45 to Col. 7, Line 36 and Col. 8, Lines 1-41].

Claim 11 is rejected under the same rationale set forth above to claim 1.

Claim 12 is rejected under the same rationale set forth above to claim 2.

Claim 13 is rejected under the same rationale set forth above to claim 9.

Claim 14 is rejected under the same rationale set forth above to claim 10.

Claim 15 is rejected under the same rationale set forth above to claim 1.

Claim 16 is rejected under the same rationale set forth above to claim 9.

Claim 17 is rejected under the same rationale set forth above to claim 1.

Response to Arguments

4. Applicant's arguments have been fully considered but they are not persuasive because of the following reasons:

A- Applicant argues that Nobakht fails to disclose each and every element of claim 1 and, especially, Nobakht fails to disclose storing service information including the kind of service to be received [see Remarks regarding claims 1-8, Pages 9-10].

The examiner respectfully disagrees. Nobakht teaches an Internet appliance user management system such as system server 110 is connected to the Internet [see Fig. 1] which is connected to an IA terminal such as user terminal 130A-D via a network,

comprising an IA terminal user storing unit storing IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received, and user registration information including user information concerning the user who receives the service, said IA terminal information representing registration information required for an Internet connection. For example, Nobakht discloses storing user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

Nobakht further teaches a transmission and receiving unit on the side of the IA terminal user management system, transmitting and receiving the user registration information to and from the IA terminal, and requests the IA terminal to input the user registration information. For example, Nobakht discloses input devices such as remote control 202 and wireless keyboard 203 [see Figs. 1-2]. In addition, Nobakht further teaches a user registration information collation unit collating the user registration information received by the transmission and receiving unit on the side of the IA terminal user management system with the user registration information stored in the IA terminal user storing unit and writing the user registration information in the IA terminal user storing unit if necessary. For example, Nobakht discloses set-top box 131 controls access to Internet sites/channels services by manually using input device (202, 203) via

system controller 211 and writes user registration information in the user storage [see Figs. 3-4 and Col. 6, Line 45 to Col. 7, Line 36 and Col. 8, Lines 1-41].

Moreover, Nobakht further teaches an automatic registration unit obtaining the user registration information which has not been collated by the user registration information collation unit from the IA terminal by means of the transmission and receiving unit on the side of the IA terminal user management system and registering said information in the IA terminal user storing unit. For example, Nobakht discloses passing userID information directly from smart card to the set-top box 131 [see Fig. 4 and Col. 8, Lines 1-15].

Therefore, Nobakht does disclose every element of claim 1, especially, storing service information including the kind of service to be received, as shown above. Claims 2-8 depend on claim 1 and are therefore rejected at least by virtue of their dependency on independent claim and by other reasons set forth above in rejection.

B- Applicant argues that Nobakht neither teaches, discloses, nor suggests "a transmission and receiving unit on the side of the IA terminal, transmitting and receiving IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received," as discussed above with respect to the rejection of claim 1 [see Remarks regarding claims 9-10, Pages 10-11].

Again, the examiner respectfully disagrees. Nobakht teaches a transmission and receiving unit on the side of the IA terminal, transmitting and receiving IA terminal

information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received, and user registration information including user information concerning the user who receives the service to and from the IA terminal user management system which manages the IA terminal via the network, said IA terminal information representing registration information required for an Internet connection. For example, Nobakht discloses input devices such as remote control 202 and wireless keyboard 203 or smart card 232 for entering and transmitting user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Also, Nobakht discloses a set-top box 131 for receiving user/terminal information and controlling access to Internet sites/channels services. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

Claim 10 depends on claim 9 and is therefore rejected at least by virtue of its dependency on independent claim and by other reasons set forth above in rejection.

C- Applicant argues that Nobakht neither teaches, discloses, nor suggests a "function which stores, in a database, IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received," as

discussed above with respect to the rejection of claim 1 [see Remarks regarding claims 11-12, Page 11].

Again, the examiner respectfully disagrees. Nobakht teaches the function which stores, in a database, IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received. For example, Nobakht discloses storing user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

Claim 12 depends on claim 11 and is therefore rejected at least by virtue of its dependency on independent claim and by other reasons set forth above in rejection.

D- Applicant argues that Nobakht neither teaches, discloses, nor suggests a "function which transmits and receives IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received," as discussed above with respect to the rejection of claim 1 [see Remarks regarding claims 13-14, Pages 11-12].

Again, the examiner respectfully disagrees. Nobakht teaches function which transmits and receives IA terminal information including an IA terminal identifier for

identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received. For example, Nobakht discloses input devices such as remote control 202 and wireless keyboard 203 or smart card 232 for entering and transmitting user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Also, Nobakht discloses a set-top box 131 for receiving user/terminal information and controlling access to Internet sites/channels services. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

Claim 14 depends on claim 13 and is therefore rejected at least by virtue of its dependency on independent claim and by other reasons set forth above in rejection.

E- Applicant argues that Nobakht neither teaches, discloses, nor suggests a "transmission and receiving means for on the side of the IA terminal, transmitting and receiving IA terminal information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received," as discussed above with respect to the rejection of claim 1 [see Remarks regarding claims 15-16, Page 12].

Again, the examiner respectfully disagrees. Nobakht teaches transmission and receiving means for on the side of the IA terminal, transmitting and receiving IA terminal

information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the kind of service to be received. For example, Nobakht discloses input devices such as remote control 202 and wireless keyboard 203 or smart card 232 for entering and transmitting user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Also, Nobakht discloses a set-top box 131 for receiving user/terminal information and controlling access to Internet sites/channels services. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

F- Applicant argues that Nobakht neither teaches, discloses, nor suggests " an IA terminal user storing unit storing IA terminal information for the IA terminal which is connected to the terminal user management system, the information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information including the service to be received," as discussed above with respect to the rejection of claim 1 [see Remarks regarding claim 17, Page 13].

Again, the examiner respectfully disagrees. Nobakht teaches an IA terminal user storing unit storing IA terminal information for the IA terminal which is connected to the terminal user management system, the information including an IA terminal identifier for identifying a number or mark of a manufacturer of the IA terminal, service information

including the service to be received. For example, Nobakht discloses storing user/terminal information such as userID, user PIN, terminal ID, manufacture date, etc. Moreover, Nobakht clearly discloses data stored in channel table flash memory including site name, site address, etc which refers to the kind of service to be received [see Figs. 1-4 and Col. 6, Line 37 to Col. 7, Line 36 and Col. 8, Line 1 to Col. 9, Line 3 and Col. 10, Lines 10-26].

In view of the foregoing, the examiner asserts that the cited reference Nobakht does teach or suggest the subject matter recited in independent claims. Dependent claims depend on independent claims and are therefore rejected at least by virtue of their dependency on independent claim and by other reasons set forth above. Accordingly, the examiner respectfully maintains the rejections for claims 1-17 as shown above.

5. A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS ACTION IS SET TO EXPIRE THREE MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. FAILURE TO RESPOND WITHIN THE PERIOD FOR RESPONSE WILL CAUSE THE APPLICATION TO BECOME ABANDONED (35 U.S.C. § 133). EXTENSIONS OF TIME MAY BE OBTAINED UNDER THE PROVISIONS OF 37 CAR 1.136(A).

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip Tran whose telephone number is (571) 272-3991. The Group fax phone number is (571) 273-8300. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar, can be reached on (571) 272-4006.

7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


PHILIP TRAN
PRIMARY EXAMINER

Art Unit 2155
Feb 15, 2008